



Eco Industrial Supplies

7 Oak Ave Clovelly Pk South Australia 5042

Phone +61 08 8276 5307 Mobile 0458 158 777

www.ecoindustrialsupplies.com Email ecoindustrial@internode.on.net


LED Light Bar with QL-AL13 Aluminum Profile


Constant Current Version+CRI \geq 90

Frosted Cover

Clear Cover

Milky Cover



Model No.	LED Qty	CC/CV	Work Voltage	Power PCB Size (mm)	Water-proof	Color	(CT:K)	CRI (Ra)	SA Price/pcs(1m)	QL Price/pcs(1m)
									1-50	1-200
QL-F5630A35-W-24C-SG2-AL13	 SMD 5630 70/m 1750lm/m	CC Version	DC24V	15W/m	DC24V	<input type="checkbox"/> Warm White	2700/3000K	≥ 80	/	\$47.00
QL-F5630A35-N-24C-SG2-AL13						<input type="checkbox"/> Nature White	4000-4200K			
QL-F5630A35-P-24C-SG2-AL13						<input type="checkbox"/> Pure White	6000-6500K			
F5630A35SA-W-24C-AL13	SMD 5630 70/m 1600lm/m	CC Version	DC24V	15W/m	DC24V	<input type="checkbox"/> Warm White	2700/3000K	≥ 90	\$37.00	\$39.00
F5630A35SA-N-24C-AL13						<input type="checkbox"/> Nature White	4000-4500K			
F5630A35SA-P-24C-AL13						<input type="checkbox"/> Pure White	6000-6500K			
F2835A60SA-W-24C-AL13	SMD 2835 120/m 1800lm/m	CC Version	DC24V	19.2W/m	No	<input type="checkbox"/> Warm White	2700/3000K	≥ 90	\$38.00	\$40.00
F2835A60SA-N-24C-AL13						<input type="checkbox"/> Nature White	4000-4500K			
F2835A60SA-P-24C-AL13						<input type="checkbox"/> Pure White	6000-6500K			



LED Light Bar with QL-AL07 Aluminum Profile


Constant Current Version+CRI \geq 90

Frosted Cover

Clear Cover

Milky Cover



Model No.	LED Qty	CC/CV	Work Voltage	Power PCB Size (mm)	Water-proof	Color	(CT:K)	CRI (Ra)	SA Price/pcs(1m)	QL Price/pcs(1m)
QL-F5630A35-W-24C-SG2-AL07	 SMD 5630 70/m 1750lm/m	CC Version	DC24V	15W/m	DC24V	<input type="checkbox"/> Warm White	2700/3000K	≥80	/	\$48.00
QL-F5630A35-N-24C-SG2-AL07						<input type="checkbox"/> Nature White	4000-4200K			
QL-F5630A35-P-24C-SG2-AL07						<input type="checkbox"/> Pure White	6000-6500K			
F5630A35SA-W-24C-AL07	SMD 5630 70/m 1600lm/m	CC Version	DC24V	15W/m	DC24V	<input type="checkbox"/> Warm White	2700/3000K	≥90	\$40.00	\$44.00
F5630A35SA-N-24C-AL07						<input type="checkbox"/> Nature White	4000-4200K			
F5630A35SA-P-24C-AL07						<input type="checkbox"/> Pure White	6000-6500K			
F2835A60SA-W-24C-AL07	SMD 2835 120/m 1800lm/m	CC Version	DC24V	19.2W/m	No	<input type="checkbox"/> Warm White	2700/3000K	≥90	\$40.00	\$44.00
F2835A60SA-N-24C-AL07						<input type="checkbox"/> Nature White	4000-4200K			
F2835A60SA-P-24C-AL07						<input type="checkbox"/> Pure White	6000-6500K			



Constant Current Version+CRI≥90


LED Light Bar with QL-AL11 Aluminum Profile

Frosted Cover

Clear Cover

Milky Cover



Model No.	LED Qty	CC/CV	Work Voltage	Power PCB Size (mm)	Water-proof	Color	(CT:K)	CRI (Ra)	SA Price/pcs(1m)	QL Price/pcs(1m)
									1-50	1-200
QL-F5630A35-W-24C-SG2-AL11	 SMD 5630 70/m 1750lm/m	CC Version	DC24V	15W/m	DC24V	<input type="checkbox"/> Warm White	2700/3000K	≥80	/	\$49.00
QL-F5630A35-N-24C-SG2-AL11						<input type="checkbox"/> Nature White	4000-4200K			
QL-F5630A35-P-24C-SG2-AL11						<input type="checkbox"/> Pure White	6000-6500K			
F5630A35SA-W-24C-AL11	SMD 5630 70/m 1600lm/m	CC Version	DC24V	15W/m	DC24V	<input type="checkbox"/> Warm White	2700/3000K	≥90	\$42.00	\$46.00
F5630A35SA-N-24C-AL11						<input type="checkbox"/> Nature White	4000-4200K			
F5630A35SA-P-24C-AL11						<input type="checkbox"/> Pure White	6000-6500K			
F2835A60SA-W-24C-AL11	SMD 2835 120/m 1800lm/m	CC Version	DC24V	19.2W/m	No	<input type="checkbox"/> Warm White	2700/3000K	≥90	\$43.00	\$45.00
F2835A60SA-N-24C-AL11						<input type="checkbox"/> Nature White	4000-4200K			
F2835A60SA-P-24C-AL11						<input type="checkbox"/> Pure White	6000-6500K			