

ECO INDUSTRIAL SUPPLIES

7 Oak Ave Clovelly Park South Australia 5042

Phone +0061 08 8276 5307 Mobile +0061 0458 158 777

ABN: 25 145 151 241



Sosen Drivers

Watt		LED Driver model	Input	Output	Current	PF	EFF	Surge	Certificate	Size
2nd Generation R series 20-50W IP66										
20W		SS-20R-36	100-277Vac(±10%)	24-36V	700ma	0.95	86%	1KV	CE/TUV/SAA/UL	95*40*25mm
35W		SS-35R-36	100-277Vac(±10%)	24-36V	1050ma	0.95	87%	1KV	CE/TUV/SAA/UL	105*45*31mm
50W		SS-50R-36	100-277Vac(±10%)	24-36V	1500ma	0.96	88%	1KV	CE/TUV/SAA/UL	95*70*32mm
3rd Generation H series 25-200W IP67										
25W		SS-25H-40 SS-25H-54	100-277Vac(±10%)	24-40V 32-54V	800ma 600ma	0.96	85%	4KV	TUV/UL/BIS/CCC/SAA CCC	132*47*32mm
35W		SS-35H-30 SS-35H-36 SS-35H-42 SS-35H-48 SS-35H-54	100-277Vac(±10%)	24-30V 24-36V 30-42V 36-48V 42-54V	1200ma 1000ma 850ma 750ma 650ma	0.96	86%	6KV	CCC CCC UL/BIS/CCC/TUV/SAA CCC UL/BIS/CCC/TUV/SAA	140*46*32mm
50W		SS-50H-33 SS-50H-36 SS-50H-42 SS-50H-48 SS-50H-54 SS-50H-72	100-277Vac(±10%)	24-33V 24-36V 30-42V 36-48V 42-54V 43-72V	1550ma 1400ma 1200ma 1050ma 950ma 700ma	0.95	89%	6KV	TUV/SAA/CCC TUV/SAA/CCC TUV/SAA/UL/BIS/CCC TUV/SAA/CCC TUV/SAA/UL/BIS/CCC TUV/SAA/CCC	164*47*32mm
60W		SS-60H-42 SS-60H-54	100-277Vac(±10%)	24-42V 32-54V	1500ma 1100ma	0.96	89%	6KV	TUV/UL/BIS/CCC/SAA TUV/UL/BIS/CCC/SAA	164*63*37mm
70W		SS-70H-33 SS-70H-36 SS-70H-42 SS-70H-48 SS-70H-54 SS-70H-70 SS-70H-100	100-277Vac(±10%)	24-33V 24-36V 30-42V 36-48V 42-54V 50-66V 60-100V	2100ma 1950ma 1650ma 1450ma 1300ma 1050ma 700ma	0.96	89%	6KV	TUV/SAA/CCC TUV/SAA/CCC TUV/SAA/CCC TUV/SAA/CCC TUV/SAA/CCC CCC CCC	146*63*41mm
75W		SS-75H-33 SS-75H-36 SS-75H-42 SS-75H-48 SS-75H-54 SS-75H-72 SS-75H-108	100-277Vac(±10%)	24-33V 24-36V 30-42V 36-48V 42-54V 43-72V 65-108	2300ma 2100ma 1800ma 1600ma 1400ma 1050ma 700ma	0.97	90%	6KV	TUV/SAA/UL/CCC TUV/SAA/UL/CCC TUV/SAA/UL/BIS/CCC TUV/SAA/UL/CCC TUV/SAA/UL/BIS/CCC CCC CCC	152*63*37mm
100W		SS-100H-33 SS-100H-36 SS-100H-42 SS-100H-48 SS-100H-54	100-277Vac(±10%)	24-33V 24-36V 30-42V 36-48V 42-54V	3050ma 2800ma 2400ma 2100ma 1850ma	0.97	90%	6KV	TUV/SAA/UL/CCC TUV/SAA/UL/CCC TUV/SAA/UL/BIS/CCC TUV/SAA/UL/CCC TUV/SAA/UL/BIS/CCC	195*63*40mm
120W		SS-120H-33 SS-120H-36 SS-120H-42 SS-120H-48 SS-120H-54 SS-120H-86 SS-120H-115 SS-120H-140 SS-120H-171	100-277Vac(±10%)	24-33V 24-36V 30-42V 36-48V 42-54V 52-86V 69-115V 84-140V 103-171V	3640ma 3350ma 2850ma 2500ma 2240ma 1400ma 1050ma 860ma 700ma	0.97	91%	6KV	TUV/SAA/UL/CCC TUV/SAA/UL/CCC TUV/SAA/UL/BIS/CCC TUV/SAA/UL/CCC TUV/SAA/UL/BIS/CCC CCC CCC CCC CCC	195*63*40mm

ECO INDUSTRIAL SUPPLIES

7 Oak Ave Clovelly Park South Australia 5042

Phone +0061 08 8276 5307 Mobile +0061 0458 158 777

ABN: 25 145 151 241



Sosen Drivers

150W		SS-150H-33	100-277Vac(±10%)	24-33V	4550ma	0.97	92%	6KV	TUV/SAA/UL/CCC	216*63*40mm
		SS-150H-36		24-36V	4200ma				TUV/SAA/UL/CCC	
		SS-150H-42		30-42V	3600ma				TUV/SAA/UL/BIS/CCC	
		SS-150H-48		36-48V	3150ma				TUV/SAA/UL/CCC	
		SS-150H-54		42-54V	2800ma				TUV/SAA/UL/BIS/CCC	
		SS-150H-108		65-108V	1400ma				CCC	
		SS-150H-143		86-143V	1050ma				CCC	
		SS-150H-175		105-175V	860ma				CCC	
		SS-150H-215		105-215V	700ma				CCC	
200W		SS-200H-33	100-277Vac(±10%)	24-33V	6100ma	0.96	93%	6KV	TUV/SAA/UL/CCC	222*69*40mm
		SS-200H-36		24-36V	5600ma				TUV/SAA/UL/CCC	
		SS-200H-38		24-38V	5300ma				BIS	
		SS-200H-42		30-42V	4800ma				TUV/SAA/UL/CCC	
		SS-200H-48		36-48V	4200ma				TUV/SAA/UL/CCC	
		SS-200H-54		42-54V	3700ma				TUV/SAA/UL/BIS/CCC	
		SS-200H-143		86-143V	1400ma				CCC	
		SS-200H-190		95-190V	1080ma				CCC	
		SS-200H-233		116-233V	860ma				CCC	
		SS-200H-285		142-285V	700ma				CCC	
4th Generation V series 40-320W IP67										
40W		SS-40V-54	100-277Vac(±10%)	27-54V	700ma	0.97	89%	12KV	UL/TUV/SAA/BIS/CCC	164*47*32mm
60W		SS-60V-42	100-277Vac(±10%)	24-42V	1400ma	0.97	89%	12KV	TUV/UL/SAA/BIS/CCC	152*63*37mm
		SS-60V-54		32-54V	1100ma				TUV/UL/SAA/BIS/CCC	
80W		SS-80V-42	100-277Vac(±10%)	24-42V	1900ma	0.97	90%	12KV	TUV/UL/SAA/BIS/CCC	152*63*37mm
		SS-80V-54		32-54V	1480ma				TUV/UL/SAA/BIS/CCC	
		SS-80V-114		57-114V	700ma				CCC	
100W		SS-100V-38	100-277Vac(±10%)	24-38V	2600ma	0.97	90%	12KV	TUV/UL/SAA/CCC/BIS	170*63*37mm
		SS-100V-54		32-54V	1850ma				TUV/UL/SAA/CCC/BIS	
		SS-100V-72		36-72V	1380ma				CCC	
		SS-100V-143		72-143V	700ma				CCC	
120W		SS-120V-38	100-277Vac(±10%)	24-38V	3150ma	0.97	91%	12KV	TUV/UL/SAA/CCC/BIS	200*63*37mm
		SS-120V-54		32-54V	2220ma				TUV/UL/SAA/CCC/BIS	
		SS-120V-86		43-86V	1400ma				CCC	
		SS-120V-171		86-171V	700ma				CCC	
150W		SS-150V-38	100-277Vac(±10%)	24-38V	3900ma	0.96	92%	12KV	TUV/UL/SAA/CCC/BIS	200*63*40mm
		SS-150V-54		32-54V	2700ma				TUV/UL/SAA/CCC/BIS	
		SS-150V-108		54-108V	1400ma				CCC	
		SS-150V-215		108-215V	700ma				CCC	
200W		SS-200V-38	100-277Vac(±10%)	24-38V	5200ma	0.96	92%	12KV	TUV/UL/SAA/CCC/BIS	221*69*40mm
		SS-200V-54		32-54V	3700ma				TUV/UL/SAA/CCC/BIS	
		SS-200V-143		86-143V	1400ma				CCC	
		SS-200V-285		142-285V	700ma				CCC	
240W		SS-240V-38	100-277Vac(±10%)	24-38V	6300ma	0.96	93%	12KV	TUV/UL/SAA/CCC/BIS	244*69*40mm
		SS-240V-54		32-54V	4440ma				TUV/UL/SAA/CCC/BIS	
		SS-240V-190		96-190V	1260ma				CCC	
		SS-240V-343		171-343V	700ma				CCC	
320W		SS-320V-38	100-277Vac(±10%)	24-38V	8500ma	0.96	93%	12KV	TUV/UL/SAA/CCC/BIS	
		SS-320V-54		32-54V	6000ma				TUV/UL/SAA/CCC/BIS	
5th Generation G series 100-240W IP67										
100W		SS-100G-38	180-277Vac(±10%)	24-38V	2600ma	0.97	92%	10KV	TUV/CCC/SAA	152*63*37mm
		SS-100G-54		36-54V	1850ma				TUV/CCC/SAA	
		SS-100G-116		58-116V	1300ma				TUV/CCC/SAA	

ECO INDUSTRIAL SUPPLIES

7 Oak Ave Clovelly Park South Australia 5042

Phone +0061 08 8276 5307 Mobile +0061 0458 158 777

ABN: 25 145 151 241



Sosen Drivers

150W		SS-150G-38	180-277Vac(±10%)	24-38V	3900ma	0.97	92%	10KV	TUV/CCC/SAA	200*63*37mm
		SS-150G-54		36-54V	2800ma				TUV/CCC/SAA	
		SS-150G-90		54-90V	1660ma				TUV/CCC/SAA	
200W		SS-200G-38	180-277Vac(±10%)	24-38V	5200ma	0.98	93%	10KV	TUV/CCC/SAA	216*63*37mm
		SS-200G-54		36-54V	3700ma				TUV/CCC/SAA	
240W		SS-240G-38	180-277Vac(±10%)	24-38V	6300ma	0.98	93%	10KV	SAA	244*69*40mm
		SS-240G-54		36-54V	4440ma				SAA	
6th Generation C series 60-240W IP67 Round driver for high bay light										
60W		SS-60C-40	100-277Vac(±10%)	24-40V	1500ma	0.96	89%	10KV	TUV/UL	114*60mm
		SS-60C-54		27-54V	1100ma				TUV/UL	
120W		SS-120C-40	100-277Vac(±10%)	24-40V	3000ma	0.97	90%	10KV	TUV/SAA/UL/BIS/CCC	132*72mm
		SS-120C-54		27-54V	2220ma				TUV/SAA/UL/BIS/CCC	
		SS-120C-68		42-68V	1800ma				TUV/SAA/UL/BIS/CCC	
160W		SS-160C-38	100-277Vac(±10%)	24-38V	4200ma	0.97	91%	10KV	TUV/SAA/UL/BIS/CCC	132*71mm
		SS-160C-54		27-54V	3000ma				TUV/SAA/UL/BIS/CCC	
		SS-160C-68		42-68V	2400ma				TUV/SAA/UL/BIS/CCC	
240W		SS-240C-38	100-277Vac(±10%)	24-38V	6300ma	0.98	92%	10KV	TUV/SAA/UL/BIS/CCC	162*72mm
		SS-240C-54		27-54V	4400ma				TUV/SAA/UL/BIS/CCC	
		SS-240C-68		42-68V	3500ma				TUV/SAA/UL/BIS/CCC	

Note:1.Warranty: R series 3years;H series 3-5 years;G series 5 years; V series 7 years;C series 5 years.

2. Dimmable function: 3-IN-1 dimmable function(1-10V/PWM/Resistance)

3. Timing control function